



No.: 3.30  
 Date: 10/29/01  
 Supersedes: 10/05/01

## TEXTURED TEXTILE YARNS

P&QC: \_\_\_\_\_ Mary G. Wilkerson  
 Marketing: \_\_\_\_\_ Terry Fry

ETG37 1/0 LEX 610  
 ET9 136 LEX

PROPERTIES	INDIVIDUAL PACKAGE		LOT		PACKAGE INFORMATION	
	OS1	OS3	OS1	OS3		
% Binder L.O.I.					Package Weight, Maximum	15.6 Lbs / 7.1 Kg
With Overspray, Nominal	1.95%		1.95%		Minimum	4.0 Lbs / 1.8 Kg
% Tolerance L.O.I.	+/- 0.55%		+/- 0.11%		Tie-On-Tails	Available on Request
Yardage -- (Yds/Tex) Bare Glass, Nominal	3592/138		3592/138		Tubes, Type	Paper
With Overspray, Nominal	3522/141		3522/141		Dimensions	8.5"/21.6 CM x 3.81"/10 CM (O.D.)
% Tolerance	+/- 5.5%		+/- 1.1%		Outside Diameter, Full Package	11.0 Inches/27.94 CM
% COV, Nominal			1.80%			
% COV, Maximum			2.70%		Packages/Carton	64
Tensile Strength, Minimum (Lbs/Nt)	4.0/18				Cartons/Pallet	1

**OTHER:** Conforms to ASTM D578 test method for fiber glass yarns.