



No.: 3.8  
 Date: 11/1/99  
 Supersedes: All Previous

## TEXTURED TEXTILE YARNS

P&QC: \_\_\_\_\_  
 Marketing: \_\_\_\_\_

**ETDE50 1/0 LEX 690**  
**ET6 102 LEX**

PROPERTIES	INDIVIDUAL PACKAGE		LOT		PACKAGE INFORMATION	
	OS1	OS3	OS1	OS3		
% Binder L.O.I.					Package Weight, Maximum	15.0 Lbs/6.8 Kg
With Overspray, Nominal	2.10%		2.10%		Minimum	2.0 Lbs/0.9 Kg
% Tolerance L.O.I.	+/- .50		+/- .10			
					Tie-On-Tails	Available on Request
Yardage -- (Yds/Tex) Bare Glass, Nominal	4911/101		4911/101			
With Overspray, Nominal	5021/98.8		5021/98.8		Tubes, Type	Paper
% Tolerance	+/- 5.5%		+/- 1.1%		Dimensions	6.5"/16.5 CM x 3.75"/10 CM (O.D.)
% COV, Nominal			1.20%			
% COV, Maximum			1.80%		Outside Diameter, Full Package	13.5 Inches/34.3 CM
Tensile Strength, Minimum (Lbs/Nt)	3.0/13				Packages/Carton	36
					Cartons/Pallet	2

**OTHER:** Conforms to ASTM D578 test method for fiber glass yarns.