



No.: 3.25
 Date: 11/1/99
 Supersedes: All Previous

TEXTURED TEXTILE YARNS

P&QC: _____
 Marketing: _____

ETDE 6.0 TEXO
ET6 825 TEXO

PROPERTIES	INDIVIDUAL PACKAGE			LOT			PACKAGE INFORMATION	
	NS	OS1	OS3	NS	OS1	OS3		
% Binder L.O.I.							Package Weight, Maximum	25.0 Lbs/11.4 Kg
With Overspray, Nominal	0.45%	2.45%		0.40%	2.45%		Minimum	2.0 Lbs/0.9 Kg
% Tolerance L.O.I.	+/- .15	+/- .85		+/- .04	+/- .03			
							Tie-On-Tails	Available on Request
Yardage -- (Yds/Tex) Bare Glass, Nominal	597/831	588/844		597/831	588/844			
With Overspray, Nominal	N/A	573/866		N/A	513/866		Tubes, Type	Paper
% Tolerance	+/- 5.5%	+/- 5.5%		+/- 1.1%	+/- 1.1%		Dimensions	13"/33 CM x 3.95"/10 CM (O.D.)
% COV, Nominal				1.40%	1.40%			
% COV, Maximum				2.10%	2.10%		Outside Diameter, Full Package	12.0 Inches/30.5 CM
Tensile Strength, Minimum (Lbs/Nt)	12/53	12/53					Packages/Carton	36
							Cartons/Pallet	1

OTHER: Conforms to ASTM D578 test method for fiber glass yarns.